INDEX, VOLUME 20, 1996

AUTHOR / TITLE INDEX

Agarwal, R. K.: *See* Dube, G. P., 646
Al-Assadi, S. A. K.: An approach for pole assignment by dynamic compensator with prespecified poles, 135
Alidi, A. S.: A Multiobjective optimization model for the waste management of the petrochemical industry, 925
Amadei, B.: *See* Pan, E., 909
Amadei, B.: *See* Pan, E., 114
An, C.-F., Barron, R. M. and Zhang, S.: Stream function coordinate Euler formulation and shocktube application, 421
Anderssen, B., Mooney, J. and Stricker, J.: Decision support for the design of constructed wetlands, 93
Arden, W. J. B.: *See* Fletcher, I., 741

Balaji, C.: *See* Ramesh, N., 476
Barron, R. M.: *See* An, C.-F., 421
Basha, H. A. and Kassab, B. G.: Analysis of water distribution systems using a perturbation method, 290
Beach, E. D., Boyd, R. and Uri, N. D.: Expanding biodegradable polymer resin use: Assessing the aggregate impact on the US economy, 388
Bills, P.: *See* Matthews, K., 562
Bonney, M.: *See* Jaber, M. Y., 162
Bonney, M.: *See* Jaber, M. Y., 750
Boulos, P. F.: *See* Mau, R. E., 329
Bowcock, R. W.: *See* Mau, R. E., 329
Boyd, R.: *See* Beach, E. D., 388
Bozer, Y. A. and Rim, S.-C.: A branch and bound method for solving the bidirectional circular layout problem, 342

Cardwell, H. and Ellis, H.: Model uncertainty and model aggregation in environmental management, 121
Chau, K. W., Jin, H. S. and Sin, Y. S.: A finite difference model of two-dimensional tidal flow in Tolo Harbor, Hong Kong, 321
Chen, C.-K.: *See* Chen, C.-L., 699
Chen, C.-L., Lin, S.-H. and Chen, C.-K.: Application of Taylor transformation to nonlinear predictive control problem, 699
Chen, H. and Dyke, P. P. G.: Multivariable time series sediment dynamical model and its identification in Rufiji Delta, Tanzania, 756
Chen, J. F.: *See* Liu, C. W., 549
Chen, S.: *See* Wang, G.-T., 309
Chertok, D. L. and Lardner, R. W.: Variational data assimilation for a nonlinear hydraulic model, 675
Chlebus, E.: *See* Ludwin, W., 585
Chow, P., Cross, M. and Pericleous, K.: A natural extension of the conventional finite volume method into polygonal unstructured meshes for CFD application, 170
Ciofalo, M.: Large-eddy simulation of turbulent flow with heat transfer in simple and complex geometries using Harwell-FLOW3D, 262
Cox, C. S.: *See* Fletcher, I., 741
Cross, M.: *See* Chow, P., 170

Dai, X.: *See* Weng, C.-K., 501
Dantzig, J. A.: *See* Tiller, M. M., 792
Dauer, J. P.: *See* Liu, Y.-H., 572
de Klerk, J. H. *See* van Wyk, D. J.: 838
de Ville, A. and Smith, E. A.: Airflow through beds of cereal grains, 283
Dewson, T.: *See* Irving, A. D., 152
Dey, P. K., Tabucanon, M. T. and Ogunlana, S. O.: Hierarchical approach to project planning: The case of a petroleum pipeline construction, 683
Dey, S.: Sediment pick-up for evolving scour near circular cylinders, 534
Dil, A. J.: *See* Hanby, V. I., 608
Djilali N.: *See* Nikfetrat, K., 371
Doonan, A.: *See* Fletcher, I., 741
Dost, S.: *See* Nikfetrat, K., 371
Dube, G. P., Agarwal, R. K. and Dumir, P. C.: Natural frequencies and buckling loads of beam-columns stiffened by rings, 646
Dumir, P. C.: *See* Dube, G. P., 646
Durany , J., García, G. and Vázquez, D.: Numerical computation of free boundary problems in elastohydrodynamic lubrication, 104
Dury, T. V.: *See* Smith, B. L., 187
Dyke, P. P. G.: *See* Chen, H., 756

Ellis, H.: *See* Cardwell, H., 121
El-Refaee, M. M. and Nassar, M.: Plastic deformation of a rigid floating plate: An analytical study, 352
Elsharkawy, A. A., Kassab, S. Z. and Nassar, M. M.: Lubrication analysis of externally pressurized circular porous bearings, 870
Etemad, S. Gh., Mujumdar, A. S. and Nassef, R.: Simultaneously developing flow and heat transfer of non-Newtonian fluids in equilateral triangular duct, 898

Fahidy, T. Z.: *See* Kim, K., 379
Fletcher, I., Cox, C. S., Arden, W. J. B. and Doonan, A.: Modelling of a two-stage high-pressure gas reduction station, 741
Forbes, L. K.: Progress toward a mining strategy based on mineral leaching with secondary recovery, 16
Foss, B. A.: *See* Michelsen, F. A., 523
Frepoli, C.: Numerical simulation of the inlet plenum flow field for a LWR reactor pressure vessel, 252

Garcia, G.: *See* Durany, J., 104

Hall, W. S. and Mao, X. Q.: Green's identity checks and boundary element solution of new combined field integral equations for electromagnetic scattering, 143
Hanby, V. I. and Dil, A. J.: Error prediction in Markov models of building/HVAC systems, 608
Hart, V. G. and Shi, J.: Initially deformed dissimilar elastic tubes containing fluid flow, 52
Hassan, M. A.: A theoretical simulation of fire extinction by water spray in a computer cabinet, 804
Hassanien, I. A.: Flow and heat transfer on a continuous flat surface moving in a parallel free stream of power-law fluid, 779
Hassing, N. H.: *See* Svenningsen, K. H., 214
Hewitt, G. F.: *See* Jayanti, S., 244
Hill, D.: Further studies of the injection moulding process, 719
Hill, J. M. and Marchant, T. R.: Modelling microwave heating, 3
Hill, J. M.: *See* Zheng, X. M., 82
Hill, J.: *See* Turner, I., 2
Honma, T.: *See* Igarashi, H., 847
Hornby, R. P.: *See* Leong, W. U. A., 200
Hsieu, L. R.: *See* Klein, C. M., 412
Hsu, C. S.: *See* Philipp, B. L., 429
Huang, K., van Genuchten, M. T. and Zhang, R.: Exact solutions for one-dimensional transport with asymptotic scale-dependent dispersion, 298
Hung, R. J. and Pan, H. L.: Modelling of sloshing modulated angular momentum fluctuations actuated by gravity gradient associated with spacecraft slew motion, 399

Igarashi, H. and Honma, T.: A boundary element method for potential fields with corner singularities, 847
Irving, A. D. and Dewson, T.: Generalized autoregression and the analysis of dynamical processes, 152

Jaber, M. Y. and Bonney, M.: Optimal lot sizing under learning considerations: The bounded learning case, 750

Appl. Math. Modelling 1996, Vol. 20, December

© 1996 by Elsevier Science Inc.

655 Avenue of the Americas, New York, NY 10010

0307-904X/96/$15.00
PII S0307-904X(96)00139-4

INDEX, VOLUME 20, 1996

AUTHOR / TITLE INDEX

Agarwal, R. K.: *See* Dube, G. P., 646
Al-Assadi, S. A. K.: An approach for pole assignment by dynamic compensator with prespecified poles, 135
Alidi, A. S.: A Multiobjective optimization model for the waste management of the petrochemical industry, 925
Amadei, B.: *See* Pan, E., 909
Amadei, B.: *See* Pan, E., 114
An, C.-F., Barron, R. M. and Zhang, S.: Stream function coordinate Euler formulation and shocktube application, 421
Anderssen, B., Mooney, J. and Stricker, J.: Decision support for the design of constructed wetlands, 93
Arden, W. J. B.: *See* Fletcher, I., 741

Balaji, C.: *See* Ramesh, N., 476
Barron, R. M.: *See* An, C.-F., 421
Basha, H. A. and Kassab, B. G.: Analysis of water distribution systems using a perturbation method, 290
Beach, E. D., Boyd, R. and Uri, N. D.: Expanding biodegradable polymer resin use: Assessing the aggregate impact on the US economy, 388
Bills, P.: *See* Matthews, K., 562
Bonney, M.: *See* Jaber, M. Y., 162
Bonney, M.: *See* Jaber, M. Y., 750
Boulos, P. F.: *See* Mau, R. E., 329
Bowcock, R. W.: *See* Mau, R. E., 329
Boyd, R.: *See* Beach, E. D., 388
Bozer, Y. A. and Rim, S.-C.: A branch and bound method for solving the bidirectional circular layout problem, 342

Cardwell, H. and Ellis, H.: Model uncertainty and model aggregation in environmental management, 121
Chau, K. W., Jin, H. S. and Sin, Y. S.: A finite difference model of two-dimensional tidal flow in Tolo Harbor, Hong Kong, 321
Chen, C.-K.: *See* Chen, C.-L., 699
Chen, C.-L., Lin, S.-H. and Chen, C.-K.: Application of Taylor transformation to nonlinear predictive control problem, 699
Chen, H. and Dyke, P. P. G.: Multivariable time series sediment dynamical model and its identification in Rufiji Delta, Tanzania, 756
Chen, J. F.: *See* Liu, C. W., 549
Chen, S.: *See* Wang, G.-T., 309
Chertok, D. L. and Lardner, R. W.: Variational data assimilation for a nonlinear hydraulic model, 675
Chlebus, E.: *See* Ludwin, W., 585
Chow, P., Cross, M. and Pericleous, K.: A natural extension of the conventional finite volume method into polygonal unstructured meshes for CFD application, 170
Ciofalo, M.: Large-eddy simulation of turbulent flow with heat transfer in simple and complex geometries using Harwell-FLOW3D, 262
Cox, C. S.: *See* Fletcher, I., 741
Cross, M.: *See* Chow, P., 170

Dai, X.: *See* Weng, C.-K., 501
Dantzig, J. A.: *See* Tiller, M. M., 792
Dauer, J. P.: *See* Liu, Y.-H., 572
de Klerk, J. H. *See* van Wyk, D. J.: 838
de Ville, A. and Smith, E. A.: Airflow through beds of cereal grains, 283
Dewson, T.: *See* Irving, A. D., 152
Dey, P. K., Tabucanon, M. T. and Ogunlana, S. O.: Hierarchical approach to project planning: The case of a petroleum pipeline construction, 683
Dey, S.: Sediment pick-up for evolving scour near circular cylinders, 534
Dil, A. J.: *See* Hanby, V. I., 608
Djilali N.: *See* Nikfetrat, K., 371
Doonan, A.: *See* Fletcher, I., 741
Dost, S.: *See* Nikfetrat, K., 371
Dube, G. P., Agarwal, R. K. and Dumir, P. C.: Natural frequencies and buckling loads of beam-columns stiffened by rings, 646
Dumir, P. C.: *See* Dube, G. P., 646
Durany , J., García, G. and Vázquez, D.: Numerical computation of free boundary problems in elastohydrodynamic lubrication, 104
Dury, T. V.: *See* Smith, B. L., 187
Dyke, P. P. G.: *See* Chen, H., 756

Ellis, H.: *See* Cardwell, H., 121
El-Refaee, M. M. and Nassar, M.: Plastic deformation of a rigid floating plate: An analytical study, 352
Elsharkawy, A. A., Kassab, S. Z. and Nassar, M. M.: Lubrication analysis of externally pressurized circular porous bearings, 870
Etemad, S. Gh., Mujumdar, A. S. and Nassef, R.: Simultaneously developing flow and heat transfer of non-Newtonian fluids in equilateral triangular duct, 898

Fahidy, T. Z.: *See* Kim, K., 379
Fletcher, I., Cox, C. S., Arden, W. J. B. and Doonan, A.: Modelling of a two-stage high-pressure gas reduction station, 741
Forbes, L. K.: Progress toward a mining strategy based on mineral leaching with secondary recovery, 16
Foss, B. A.: *See* Michelsen, F. A., 523
Frepoli, C.: Numerical simulation of the inlet plenum flow field for a LWR reactor pressure vessel, 252

Garcia, G.: *See* Durany, J., 104

Hall, W. S. and Mao, X. Q.: Green's identity checks and boundary element solution of new combined field integral equations for electromagnetic scattering, 143
Hanby, V. I. and Dil, A. J.: Error prediction in Markov models of building/HVAC systems, 608
Hart, V. G. and Shi, J.: Initially deformed dissimilar elastic tubes containing fluid flow, 52
Hassan, M. A.: A theoretical simulation of fire extinction by water spray in a computer cabinet, 804
Hassanien, I. A.: Flow and heat transfer on a continuous flat surface moving in a parallel free stream of power-law fluid, 779
Hassing, N. H.: *See* Svenningsen, K. H., 214
Hewitt, G. F.: *See* Jayanti, S., 244
Hill, D.: Further studies of the injection moulding process, 719
Hill, J. M. and Marchant, T. R.: Modelling microwave heating, 3
Hill, J. M.: *See* Zheng, X. M., 82
Hill, J.: *See* Turner, I., 2
Honma, T.: *See* Igarashi, H., 847
Hornby, R. P.: *See* Leong, W. U. A., 200
Hsieu, L. R.: *See* Klein, C. M., 412
Hsu, C. S.: *See* Philipp, B. L., 429
Huang, K., van Genuchten, M. T. and Zhang, R.: Exact solutions for one-dimensional transport with asymptotic scale-dependent dispersion, 298
Hung, R. J. and Pan, H. L.: Modelling of sloshing modulated angular momentum fluctuations actuated by gravity gradient associated with spacecraft slew motion, 399

Igarashi, H. and Honma, T.: A boundary element method for potential fields with corner singularities, 847
Irving, A. D. and Dewson, T.: Generalized autoregression and the analysis of dynamical processes, 152

Jaber, M. Y. and Bonney, M.: Optimal lot sizing under learning considerations: The bounded learning case, 750

Appl. Math. Modelling 1996, Vol. 20, December

© 1996 by Elsevier Science Inc.

655 Avenue of the Americas, New York, NY 10010

0307-904X/96/$15.00
PII S0307-904X(96)00139-4

Jaber, M. Y. and Bonney, M.: Production breaks and the learning curve: The forgetting phenomenon, 162
James, P. W., Jones, T. E. R. and Stewart, D. M.: Numerical and experimental studies of annular flume flow, 225
Jayanti, S. and Hewitt, G. F.: Response of turbulent flow to abrupt changes in surface roughness and its relevance in horizontal annular flow, 244
Jha, N. K. and Prabhudutt, J.: Mathematical programming formulation and optimum design of robot control system, 853
Jin, H. S.: *See* Chau, K. W., 321
Jones, I. P.: Guest Editorial: Computational fluid dynamics services, 186
Jones, T. E. R.: *See* James, P. W., 225

Karimi, A. A.: *See* Soh, W. K., 638
Kassab, B. G.: *See* Basha, H. A., 290
Kassab, S. Z.: *See* Elsharkawy, A. A., 870
Khanna, A.: *See* Zaman, M., 877
Kim, K. and Fahidy, T. Z.: Low-order ARX-model approximations to the dynamics of free-convective magnetoelectrolysis, 379
Kim, M. J. and Majumdar, P.: Boundary element method in evaporative laser cutting, 274
Klein, C. M. and Hsiu, L. R.: A method for vertex recognition in an automated vision system, 412
Kok, J. B. W. and van der Wal, S.: Mixing in T-junctions, 232

Lardner, R. W.: *See* Chertok, D. L., 675
Le Van, A. and Royer, J.: Boundary formulation for three-dimensional anisotropic crack problems, 662
Leong, W. U. A. and Hornby, R. P.: The application of a CFD code (ASTEC) and a network code (PENHEAT) in analyzing the thermosyphonic behavior of argon gas in a long vertical annulus, 200
Liao, C.-M.: Model to predict human and pig exposure to gaseous contaminants emitted from stored manure, 731
Liew, R.: *See* Ye, S. C. M., 540
Lin, S.-H.: *See* Chen, C.-L., 699
Liu, C. W. and Chen, J. F.: The simulation of geochemical reactions in the Heng-Chun limestone formation, Taiwan, 549
Liu, G., Lyrintzis, A. S. and Michalopoulos, P. G.: Modelling of freeway merging and diverging flow dynamics, 459
Liu, Y.-H. and Dauer, J. P.: A bicriteria linear programming model for determining linear utility functions in simultaneous multiple trait selection and classification, 572
Ludwin, W. and Chlebus, E.: Performance comparison of simulators for cellular mobile networks, 585
Lyrintzis, A. S.: *See* Liu, G., 459

Madera, A. G. and Sotnikov, A. N.: Method for analyzing stochastic heat transfer in a fluid flow, 588
Madsen J. I.: *See* Svenningsen, K. H., 214
Majumdar, P.: *See* Kim, M. J., 274
Malmborg, C. J.: An integrated storage system evaluation model, 359
Mao, X. Q.: *See* Hall, W. S., 143
Marchant, T. R.: *See* Hill, J. M., 3
Marlow, D. O.: Modelling direct-fired annealing furnaces for transient operations, 34
Matthews, K., Noye, J. and Bills, P.: A new method for numerical representation of the land-water boundary in lake circulation models, 562
Mau, R. E., Boulos, P. F. and Bowcock, R. W.: Modelling distribution storage water quality: An analytical approach, 329
McKee, S., Sneyd, A. D. and Tomé, M. F.: Time-dependent flow in a penstock during head-gate closure, 614
Merino, F.: Fluid flow through a vertical slot under gravity, 934
Michalopoulos, P. G.: *See* Liu, G., 459
Michelsen, F. A. and Foss, B. A.: A comprehensive mechanistic model of a continuous Kamyr digester, 523
Mooney, J.: *See* Anderssen, B., 93
Moule, G.: *See* Zhu, S., 26
Mujumdar, A. S.: *See* Etemad, S. Gh., 898

Nassar, M. M.: *See* Elsharkawy, A. A., 870
Nassar, M.: *See* El-Refaee, M. M., 352
Nassef, R.: *See* Etemad, S. Gh., 898
Nikfetrat, K., Djilali, N. and Dost, S.: Accuracy and nonuniqueness aspects of numerical solutions of some natural convection problems, 371
Noye, J.: *See* Matthews, K., 562

Ogunlana, S. O.: *See* Dey, P. K., 683
Ohnaka, K.: *See* Yamatani, K., 814

Pan, E. and Amadei, B.: A 3-D boundary element formulation of anisotropic elasticity with gravity, 114
Pan, E. and Amadei, B.: Water reservoir loading of long anisotropic valleys with irregular topographies, 909
Pan, H. L.: *See* Hung, R. J., 399
Päuker, W. H. G.: *See* Svenningsen, K. H., 214
Pericleous, K.: *See* Chow P., 170
Philipp, B. L. and Hsu C. S.: Discrete system dominance index for model reduction, 429
Piggott, A. R.: Static and dynamic calculation of formation fluid displacement induced by hydraulic fracturing, 714
Power, H.: *See* Richardson, J., 829
Prabhudutt, J.: *See* Jha, N. K., 853
Proudman, I.: *See* Shola, P. B., 890

Ramesh, N., Balaji, C., and Venkateshan, S. P.: Numerical analysis of a cavity radiator with mutual interaction, 476
Ramos, J. I.: One-dimensional models of steady, inviscid, annular liquid jets, 593
Ramos, J. I.: Upward and downward annular liquid jets: Conservation properties, singularities, and numerical errors, 440
Ray, A.: *See* Weng, C.-K., 501
Rees, D. W. A.: Sheet orientation and forming limits under diffuse necking, 624
Richardson, J. and Power, H.: The low Reynolds number motion of a porous particle near a plane interface, 829
Rim, S.-C.: *See* Bozer, Y. A., 342
Royer, J.: *See* Le Van, A., 662

Satravaha, P.: *See* Zhu, S., 513
Schwarz, M. P.: Simulation of gas injection into liquid melts, 41
Schweizerhof, K.: *See* Wang, J., 579
Sharma, G. C.: *See* Sharma, R., 470
Sharma, R. and Sharma, G. C.: A queueing model with the bulk arrival rate depending upon the nature of service, 470
Shi, J.: *See* Hart, V. G., 52
Shola, P. B. and Proudman, I.: Free boundary fluid flow in a trough: A numerical approach, 890
Shoukralla, E. S.: Approximate solution to weakly singular integral equations, 800
Sin, Y. S.: *See* Chau, K. W., 321
Smith, B. L. and Dury, T. V.: On the use of heat transfer correlations for internal surfaces in the ASTEC code, 187
Smith, E. A.: *See* de Ville, A., 283
Aneyd, A. D.: *See* McKee, S., 614
Soh W. K. and Karimi, A. A.: On the calculation of heat transfer in a pulsating bubble, 638
Soliman, M. S.: Global stability properties of equilibria, periodic, and chaotic solutions, 488
Sotnikov, A. N.: *See* Madera, A. G., 588
Spoelstra, J.: *See* van Wyk, D. J., 838
Stewart, D. M.: *See* James, P. W., 225
Stricker, J.: *See* Anderssen, B., 93
Sun, W.: Optimal control of impressed cathodic protection systems in ship building, 823
Svenningsen, K. H., Madsen, J. I., Hassing, N. H. and Päuker, W. H. G.: Optimization of flow geometries applying quasianalytical sensitivity analysis, 214

Tabucanon, M. T.: *See* Dey, P. K., 683
Taheri, M. R.: *See* Zaman, M., 877
Tiller, M. M. and Dantzig, J. A.: Implementation of design sensitivity analysis and numerical optimization in engineering analysis, 792
Tomé, M. F.: *See* McKee, S., 614
Tso, C. P.: *See* Yu, S. C. M., 540
Turner, I. and Hill, J.: Guest Editorial: Computational mathematical modelling for industry, 2
Turner, I. W.: A two-dimensional orthotropic model for simulating wood drying processes, 60

Uri, N. D.: *See* Beach, E. D., 388

van der Wal, S.: *See* Kok, J. B. W., 232
van Genuchten, M. T.: *See* Huang, K., 298
van Wyk, D. J., Spoelstra, J. and de Klerk, J. H.: Mathematical modelling of the interaction between a tracked vehicle and the terrain, 838
Vazquez, C.: *See* Durany, J., 104
Venkateshan, S. P.: *See* Ramesh, N., 476

Wang, G.-T. and Chen, S.: A new model describing convective-dispersive phenomena derived by using the mixing-cell concept, 309
Wang, J. and Schweizerhof, K.: Study on free vibration of moderately thick orthotropic laminated shallow shells by boundary-domain elements, 579
Weng, C.-K., Ray, A. and Dai, X.: Modelling of power plant dynamics and uncertainties for robust control synthesis, 501
Winkler, J. R.: Singular projective transformation matrices, 771

Yamatani, K. and Ohnaka, K.: A reliable estimation method for locations of point sources for an n-dimensional Poisson equation, 814
Yang, C.-Y.: Solution of an inverse vibration problem using a linear least-squares error method, 785
Yu, S. C. M., Tso, C. P. and Liew, R.: Analysis of thin film thickness determination in two-phase flow using a multifiber optical sensor, 540

Zaman, M., Taheri, M. R. and Khanna, A.: Dynamic response of cable-stayed bridges to moving vehicles using the structural impedance method, 877
Zhang, R.: *See* Huang, K., 298
Zhang, S.: *See* An, C.-F., 421
Zheng, X. M. and Hill, J. M.: Boundary effects for Couette flow of granular materials: Dynamical modelling, 82
Zhu, S. and Moule, G.: An efficient numerical calculation of wave loads on an array of vertical cylinders, 26
Zhu, S. and Satravaha, P.: An efficient computational method for modelling transient heat conduction with nonlinear source terms, 513

KEYWORD INDEX

Algebraic multiplicity, 771
Analytic hierarchy process (AHP), 925
Analytical method, 290
Angular momentum, 399
Anisotropic elasticity, 114, 662, 909
Annealing furnace, 34
Annular flow, 244
Annular flume, 225
Annular liquid jets, 440
Asymptotic methods, 440

Basins of attraction, 488
Beam-column, 646
Bernoulli equation, 614
Bicriteria linear programming, 572
Biodegradable, 388
Boundary effects, 82
Boundary element, 829
Boundary element method, 114, 143, 274, 654, 847
Boundary integral equations, 579
Boundary layer, 779
Boundary-domain elements, 579
Boundary-fitted orthogonal curvilinear grid, 321
Boundary-integral method, 16
Bounded learning curve, 750
Boussinesq approximation, 371
Brinkman flow, 829
Bubble dynamics, 638
Buble plume, 41
Buckling, 646
Building energy simulation, 608
Bulk arrival, 470

Cable, 877
Capacity, 470
Cathodic protection, 823
Cavitation, 104
Cavity radiator, 476
Cellular Mobile networks, 585
CFD, 252
Chaos, 152, 488
Characteristics, 104
Circular layout problem, 342
Cohesive sediment, 225
Computable general equilibrium model, 388
Computational fluid dynamics, 170, 200, 214, 262, 421
Computational thermal hydraulics, 187
Computer-aided design, 771
Concentration, 232
Conduction, 476
Conformal mapping, 909
Conjugate heat transfer, 187
Conservation properties, 440
Constructed wetlands, 93
Continuous digester, 523
Continuous stirred tank reactor (CSTR), 699
Continuum models, 459
Convective-dispersive phenomena, 309
Convergence theorem, 814
Correlation, 588
Couette flow, 82
Crack, 662
Creeping flow, 829
Cross-flow, 232
Cryogenic helium, 399
Current velocity, 756
Cycle changes, 34

Damped wave equation, 3
Data assimilation, 675
Decision support, 93
Dedicated storage, 359
Depth-averaged flow, 93
Differential equation, 838
Differential scattering crossection, 143
Diffuse instability, 624
Direct-fired, 34
Discrete time, 429
Discrete transfer function, 379
Dissimilar elastic tubes, 52
Distortions, 771
Distribution storage, 329
Dominance index, 429
Dual reciprocity method, 513, 638
Duality methods, 104
Dynamical modelling, 82

Elastohydrodynamic lubrication, 104
Electromagnetic scattering, 143
Enhanced strip algorithm, 412
Environmental degradation, 388
Environmental management, 121
Erosion, 534
Euler, 421
EVA in multivariable systems, 135
Evaporative laser cutting, 274
Expectation, 588
Exposure, 731

Facility layout, 342
Fast reactor, 200
Field integral equations, 143
Finite difference, 321
Finite difference approximations, 779
Finite difference method, 562
Finite elasticity, 654
Finite element method, 792
Finite elements, 104
Finite volume, 170
Finite-difference, 614
Finite-difference method, 34, 785
First principles modeling, 523
Flow calculation, 225
Flow response, 244
Flow, 283
FLOW3D, 252
Fluid dynamics, 593
Fluid flow, 52, 588, 890
Follower load, 646
Forced convection, 187, 898
Forced heat equation, 3
Forgetting, 162
Forming limits, 624
Fredholm integral equation, 800
Free boundary, 104, 890
Free convection, 379
Free surface flow, 614, 934
Free vibration, 579
Frequencies, 646

Gas, 232
Gas injection, 41
Gas transmission, 741
Gaseous contaminants, 731
Generalized linear ordering problem, 342
Generalized predictive control (NPC), 699
Geochemical reactions, 549
Geometric multiplicity, 771
Geometric nonlinearity, 274
Geometric programming, 853
Global dynamics, 488
Goal programming, 683, 925
Granular materials, 82
Gravity body force, 114
Gravity gradient, 399
Green's identity, 143
Grid "block" technique, 321
Groundwater contamination, 714

Hazardous waste management, 925
Heat transfer, 638
Hot spots, 3
Hydraulic fracturing, 714
Hydraulics, 534
Hydrodynamic lubrication, 870
Hydrostatic solution, 890

Incompressible material, 654
Inhalation dose factor, 731
Initial perturbation, 371
Initial stretches, 52
Injection moulding, 719
Inlet plenum, 252
In-plane inertia, 579
Integral equation, 662
Integration, 683
Intermittent production, 162, 750
Inventory, 359, 750
Inverse problems, 814
Inverse vibration problem, 785
Item retrieval, 359

Jet, 232

Kantorovich's method, 593
Kernel, 800

Laminar, 898
Laminar diffuser, 214
Laminated shallow shell, 579
Land water boundaries, 562
Laplace transform, 309, 513
Large-eddy simulation, 262
Learning, 162
Limestone, 549
Liquid phase epitaxy, 371
Long annulus, 200
Lot sizing, 162
Low electrical conductivity, 3
Lubricated bearings, 870
Lubrication theory, 719
LWR, 252

Magnetoelectrolysis, 379
Manufacturing systems, 342
Markov modelling, 608
Mass transfer, 731
Mathematical model, 34, 329
Maxwell's equations of electromagnetism, 3
Mesh sensitivity, 371
Methods of weighted residuals, 593
Microwave heating, 3
Mineral leaching, 16
Minimum break, 162
Mixer, 232
Mixing, 232
Mixing-cell, 309
Modal, 429
Model equations, 3
Model identification, 675
Model predictive control, 699
Modelling of uncertainties, 501
Motz problem, 847
Multifiber optic sensor, 540
Multiple trait selection, 572
Mutual interaction, 476

Nature of service, 470
Navier-Stokes, 614
Network code, 200
Newton's method, 371
Nonlinear autoregression, 152
Nonlinear elliptic problems, 104
Nonlinear problems, 513
Nonlinear response, 152
Nonlinear, 283, 934
Non-Newtonian flow, 719
Non-Newtonian fluids, 225, 898
Non-point source pollution, 309
Numerical computation method, 135
Numerical simulation, 41, 252
Numerical stability, 187
Nyquist, 429

Object-oriented programming, 792
Optimal control, 823
Optimal design, 853
Optimization, 121, 792
Order quantity, 750
Orthotropic sheet, 624
Orthotropy, 579

Parameter estimation, 675
Partial data elimination, 412
Particle tracking, 714
Penetration, 200
Penstock, 614
Performance evaluation, 585
Perturbation analysis, 283
Perturbation methods, 593
Perturbation solution, 290
Petrochemical plants, 925
Physical model, 534
Physically realizable controller, 135
PID controller, 853
Piecewise linear approximation, 412
Pipe networks, 290
Pipeline and valve modelling, 741
Pipeline construction, 683
Plant breeding, 572
Plastic deformation, 352
Point source model, 814
Poisson equation, 814
Polymer resins, 388
Porous, 283
Porous bearings, 870
Porous body, 829
Potential problem, 847
Power plant dynamics, 501
Power-law fluid, 779
Pressure reduction systems, 741
Project control, 683
Project planning, 683
Pulping, 523

Quadratic assignment problem, 342

Radiation, 476
Randomized storage, 359
Rayleigh Bénard, 371
Reduced-order model, 429
Remediation, 714
Replenishment, 359
Reserve storage, 359
Rigid floating plates, 352
Robust control, 501
Rotatory inertia, 579
Roughness variation, 244
Rubber-like material, 654

Scan along algorithm, 412
Scouring, 534
Secondary flow, 244
Section changes, 34
Sediment pick-up, 534
Sediment transport, 534, 756
Sensitivity analysis, 214, 683 792
Shallow lakes, 562
Shape optimization, 214
Shear stress measurement, 225
Shocktube, 421
Similarity solution, 719
Simulation, 523, 549
Simulation modelling, 585
Simultaneously developing, 898
Singular corner point, 847
Singular projective transformation, 771
Singularities, 440
Sloshing dynamics, 399
Solute transport, 309, 714
Spacecraft slew motion, 399
Stability, 488
Stability constraint, 853
Stable dynamic compensator with prespecified poles, 135
Stochastic heat transfer, 588
Stochastic modelling, 608
Storage layout, 359
Stored swine manure, 731
Stream function coordinates, 421
Stress-strain transformation, 624
Structural impedance method, 877
Structured singular value synthesis, 501
Supercritical, 934
Suspended sediment concentration, 756
System identification, 756

Taylor transformation, 699
Thermal runaway, 3
Thermodynamics process, 638
Thermosyphon, 200
Tidal flow, 321
Time series model, 756
Time-splitting scheme, 321
Topography, 909
Traffic flow, 459
Transient heat conduction, 513
Transient, 470
Transport, 232
Triangular duct, 898
Turbulent, 232
Turbulence modelling, 262
Turbulent flow, 244
Two-phase, 41
Two-phase flow, 523, 540

U.S. economy, 388
Uncertainty, 121
Unstructured mesh, 170
Utility function, 572

Viscous liquid, 890

Water balloon, 16
Water distribution systems, 290
Water networks, 329
Water quality, 329
Water reservoir loading, 909
Wave motion, 41
Wave speeds, 52
Wind driven flow, 562